

**RECEIVED
CENTRAL FAX CENTER****MAR 05 2007****AMENDMENTS TO THE CLAIMS**

1. (Previously Presented) A method comprising:
generating client message digests corresponding to client files, each client
message digest corresponding to each client file on a client;
generating server message digests corresponding to server files, each server
message digest corresponding to a server file on a server, wherein the
server is coupled to the client over a network;
prior to synchronizing the client files with the server files, matching client file
contents from the client message digests with server file contents from the
server message digests to determine whether the client files and the server
files are to be synchronized; and
synchronizing the client files and the server files, if the client file contents and the
server file contents do not match.
2. (Previously Presented) The method of claim 1, wherein the synchronizing of the
client files and the server files comprises adding client file contents that are
missing on the server to the server.
3. (Previously Presented) The method of claim 2, wherein the synchronizing of the
client files and the server files comprises adding server file contents that are
missing on the server to the client.
4. (Previously Presented) The method of claim 1, further comprising uniquely
identifying the client file contents of the client files via the client message digests.

5. (Cancelled)
6. (Previously Presented) The method of claim 1, wherein the uniquely identifying of the client file contents comprises generating a cryptographic hash corresponding to content of the client files that are to be synchronized.
7. (Previously Presented) The method of claim 6, further comprising combining the client message digests into a single client message digest.

Claims 8-9 (Cancelled)

10. (Previously Presented) A system comprising:
 - a storage medium; and
 - a processor coupled with the storage medium, the processor to:
 - generate client message digests corresponding to client files, each client message digest corresponding to each client file on a client;
 - generate server message digests corresponding to server files, each server message digest corresponding to a server file on a server, wherein the server is coupled to the client over a network;
- prior to synchronizing the client files with the server files, match client file contents from the client message digests with server file contents from the server message digests to determine whether the client files and the server files are to be synchronized; and synchronize

the client files and the server files, if the client file contents and the server file contents do not match.

11. (Previously Presented) The system of claim 10, wherein the processor is further to perform a cryptographic hash corresponding to content of the client files that are to be synchronized.
12. (Previously Presented) The system of claim 11, wherein the cryptographic hash comprises 128 to 160 bits.

Claims 13-19 (Cancelled)

20. (Previously Presented) A machine-readable medium comprising instructions which when executed, cause a machine to:
generate client message digests corresponding to client files, each client message digest corresponding to each client file;
generate server message digests corresponding to server files, each server message digest corresponding to a server file on a server, wherein the server is coupled to the client over a network;
prior to synchronizing the client files with the server files, match client file contents from the client message digests with server file contents from the server message digests to determine whether the client files and the server files are to be synchronized; and

synchronize the client files and the server files, if the client file contents and the server file contents do not match.

Claims 21-28 (Cancelled)